

Suicide Hospitalizations

Suicide Hospitalizations

- Most recent data (2014): 39.9 hospitalizations per 100,000, including 814 admissions.
- Trend over time: 2000-14: falling
- Description: Includes non-fatal hospitalizations for suicide
- Healthy People 2020 Goal: None listed for this indicator.

Suicide hospitalizations, King County, 2010-2014 average

	Rate	Lower CI	Upper CI	Count per Year
King County (all ages)	40.5	39.3	41.8	820
AGE				
<18	21.0	19.1	23.1	89
18-24	70.2	64.7	75.9	123
25-44	52.7	50.2	55.4	327
45-64	44.8	42.3	47.5	239
65+	18.7	16.3	21.4	43
GENDER				
Male	32.1	30.5	33.7	329
Female	49.3	47.4	51.4	491
RACE/ETHNICITY				
AIAN	N/A	N/A	N/A	N/A
Asian	N/A	N/A	N/A	N/A
Black	N/A	N/A	N/A	N/A
Hispanic	N/A	N/A	N/A	N/A
Multiple	N/A	N/A	N/A	N/A
NHPI	N/A	N/A	N/A	N/A
White	N/A	N/A	N/A	N/A
NEIGHBORHOOD POVERTY				
High	65.4	59.2	72.1	87
Medium	39.6	38.2	41.0	632
Low	35.3	32.0	38.8	90
REGION				
East	34.7	32.4	37.2	171
North	46.0	41.4	51.0	76
Seattle	45.9	43.5	48.5	289
South	39.8	37.7	42.0	285
STATE				
Washington State	51.7	50.9	52.5	3505

Comparisons:

- Higher than King County rate (yellow)
- Lower than King County rate (green)

Notes:

Source: WAState DOH, Office of Hospital and Patient Data Systems.

Prepared by Public Health - Seattle & King County, APDE, 08/2016.

*Rate = cases per 100,000 population, age-adjusted to the 2000 US population.


N/A: Not available.

CI is 95% Confidence Interval.

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Suicide hospitalizations King County, 2010-2014 average



Source: WA State DOH, Office of Hospital and Patient Data Systems.

Prepared by Public Health - Seattle & King County, APDE, 08/2016.

[^]Rate = cases per 100,000 population, age-adjusted to the 2000 US population.

[-----] Confidence interval shows range that includes true value 95% of the time.


* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Data by race/ethnicity not available.

Poverty = Neighborhood poverty levels defined by median household income.


Suicide hospitalizations by zip codes **King County, 2010-2014 average**



Source: WA State DOH, Office of Hospital and Patient Data Systems.
 Prepared by Public Health - Seattle & King County, APDE, 08/2016.
 ^Rate = cases per 100,000 population, age-adjusted to the 2000 US population.

Suicide hospitalizations

King County, 2000-2014, three-year rolling averages



^Rate = cases per 100,000 population, age-adjusted to the 2000 US population.
Trends over time: King County (2000-14: falling); East KC (2000-14: rising); North KC (2000-14: flat); Seattle (2000-14: flat);
South KC (2000-14: falling); Washington State (2000-10: rising; 2010-14: falling)
Source: WA State DOH, Office of Hospital and Patient Data Systems.
Prepared by Public Health - Seattle & King County, APDE, 08/2016.

Produced by the
Assessment, Policy Development & Evaluation Unit
Public Health - Seattle & King County
08/16